Delaware Compensation Rating Bureau, Inc.



30 South 17th Street • Suite 1500 Philadelphia, PA 19103-4007 (302) 654-1435 (215) 568-2371 FAX (215) 564-4328 www.dcrb.com

April 24, 2018

DCRB CIRCULAR NO. 949

To All Members of the DCRB:

RE: APPROVAL OF REVISED F-CLASSIFICATION AND USL&HW RATING VALUES EFFECTIVE JUNE 1, 2018

The Delaware Insurance Commissioner has approved revised US Longshore & Harbor Workers "F-Class" rates and related rating values, reflecting Federal tax law changes in the Tax Cuts and Jobs Act of 2017, for policies **effective on a new and renewal basis** as of 12:01 a.m., **June 1, 2018**.

The approved F-Class rates are those submitted under DCRB Filing No. 1708, resulting in an overall decrease in collectible rate level of 3.39 percent in F-Class residual market rates. Details regarding this approved filing remain available on the DCRB's website.

Carrier action with the Department of Insurance is not required. Carriers that have a role in writing policies in the Delaware Insurance Plan must implement the revised residual market rating values on the effective date approved by the Commissioner.

The residual market F-Class rates, minimum premiums and the tax multiplier for retrospectively rated policies, consistent with the Insurance Commissioner's approval of DCRB Filing No. 1708, are available in two Excel files in the "Rating Values" section of the DCRB's website. The revised values can also be found in several exhibits of Filing No. 1708 in the "Filings" section of the website. Voluntary market F-Class loss costs and other rating values that were approved for Filing No. 1704, effective December 1, 2017, are not affected. Manual revisions reflecting approved rating values effective June 1, 2018 will be updated on the DCRB website at a later date.

Questions regarding the approved June 1, 2018 F-Class Filing may be directed to Ken Creighton, Chief Actuary, at Extension 4924 or kcreighton@dcrb.com, John Pedrick, Vice President - Actuarial Services, at Extension 4429 or jpedrick@dcrb.com, or to me at Extension 4413 or wtaylor@dcrb.com.

William V. Taylor President

WVT/jp/dn

Remember to visit our web site at www.dcrb.com for more information about this and other topics.